

- 핀을 내장한 핀 텀블러 방식의 자물쇠 기구 핸들
- 잠금 시에는 내장된 핀에 의해서 스톱퍼가 고정
- 방수 타입(O링• 패킹 사용)
- 좌우 겸용형
- Pin built-in tumbler system lock mechanism handle
- Stopper plate is secured with the built-in pin when locking.
- Waterproof (using O-ring and packing)
- For both left-hand and right-hand use.

● 재질: 아연합금(ZDC)

● 표면 마무리: 본체/크롬 도금(MZCr) 핸들/크롬 도금

● 부속품: 대너트•나사 세트

● 대형 옥외 큐비클・제어반

● 자물쇠에 무리한 힘이 가해지면 파손의 원인 이 됩니다.

● 본 제품의 스톱퍼 부착용 나사는 풀림 방지를 위해 '풀림 방지제' 를 도포할 것을 권장합니 다.

부<mark>착 방법</mark> Installation method

Material: Zinc alloy (ZDC)

• Finish: Main body: Chrome plating (MZCr) Cap: Chrome plating

Accessories: Large nut and screws • Large outdoor cubicles and control boards Specific use


Applying inordinate stress to lock causes


damage.


It is recommended that thread-locking fluid be used to prevent loosening of the mounting screws for the catch.




A-314-1-H









〔본체〕 Main body

상품번호 Product No.	RoHS	(W ₁)	W ₂	□W₃	(H ₁)	H2	Нз	H ₄	(H ₅)	Р	φD	φd	(M)	최대 적용 판 두께 Max. applicable panel thickness	제품질량(g) Mass	코드 Code
A-314-1	•	41		10	70	18	23	5	36	44	57		M30	8	260	00606
A-314-2	•	41	24.5	8	64	17	23	5	35		46	30.5	M30	8	200	00608
A-314-3	•	32	20.5	8	54	14	18	4.7	28		35	24.5	M24	7	100	00890

●: RoHS10 대응품 ▲: RoHS10에 대응 가능합니다.

〔핸들〕 Handle ※핸들은 SUS • ZDC 겸용입니다.

**Handle is combined both SUS and ZDC

Milariale is combined sour 303 and 25 c.											
상품번호 Product No.	RoHS 10 /	L	W	Н	D	제품질량(g) Mass	코드 Code				
A-314-1-H	•	105	18	65	26	130	00607				
A-314-2-H	•	95	16	60	21	110	00609				
A-314-3-H		85	15	50	18.5	70	00891				

●: RoHS10 대응품 ▲: RoHS10에 대응 가능합니다.





alla.

롤러 잠금 특장 밀폐 핸들

크레몬

프리져 밀폐

평면 스윙

평면 핸들

팝 핸들

리프트 핸들

어져스터 핸들

래치식

스내치

후크식

록 핸들

L형 핸들

T형 핸들

원형

소형

누름 버튼

손잡이

누ㅂ

스톱퍼

로드

조인트 링크

와이어